

HET-2106 Series CPE Switch



5 ports 10/100Mbps RJ-45 + 1 port 100Mbps fiber optics uplink Managed Ethernet CPE Switch

Features

- **Easy To Install And Use**
With Auto-MDI/MDI-X and 10/100Mbps auto-senses support. If network device connected to the CPE Switch is never need crossover cables and adjusts running at 10Mbps or 100Mbps speed
- **Support IGMP Snooping V1/V2**
IGMP snooping to quickly deploy IPTV service
- **Support Q-in-Q VLAN**
With Q-in-Q VLAN stacking, the service providers can transport the encapsulated traffic for different customers without security risk
- **DHCP Auto-Provision with Text based Config file**
Fulfill the deployment requirement and reduce the OPEX of device maintenance for service providers or operators
- **SNMP Power down trap**
Popular SNMP trap message to rapidly identify network fault due to power outage and reduce truck rollls to save OPEX for service providers
- **Built-in Cable Tray**
Keep excessive fiber inside the box. Save extra cost of buying a separate cable tray as well as saving installation space

Target Applications

- SOHO & Residential CPE switch which requires simple network management for FTTX service deployment

Description


Connection Technology Systems (CTS) HET-2106 series CPE Switch are the Fast Ethernet 10/100Base-TX to 100Base-FX or 10/100Base-TX CPE Switch within an eye-catching pearl-white box, plus a built-in cable tray. Often, the fiber is intentionally left longer than it actually needs. With the built-in cable tray, it allows users to enclose the excessive fiber within the box, providing extra protection for the sensitive fiber.

The HET-2106 series CPE Switch traditional twisted-pair RJ-45 cable into various fiber media including multi-mode, single-mode, SC/ST connector, bi-directional WDM, or a SFP slot for pluggable fiber transceiver. The traditional transmission distance of 100m over RJ-45 copper can be extended from 2km to 100km over fiber.

HET-2106 series CPE Switch is fully compliant with IEEE 802.3 & 802.3u standards. You can connect another switch or NIC through HET-2106 series CPE switch 10/100Base-TX twisted-part RJ-45 port without crossover cables and monitor the status through comprehensive LED display.

HET-2106 series CPE Switch can be easily managed by CLI, telnet, SNMP, and DHCP auto-provision. With CTS unique Power Down Trap feature, HET-2106 is able to send out a SNMP trap message when encountering power outage.

Application Diagram



Specification

Interface

LAN Port
10/100Base-TX RJ45 x 5
WAN Port
100Base-FX x 1 or 10/100Base-TX

Standards

IEEE 802.3 10Base-T
IEEE 802.3u 100Base-TX/FX
IEEE 802.3x Flow Control
IEEE 802.1q Tag VLAN
IEEE 802.1p Priority

Product Specification

Store and forward switching mechanism
Auto-Cross over for MDI/MDI-X in TP port
Auto-Negotiation in TP port
Full/Half Duplex Mode Operation
2K MAC address table
80K bytes memory buffer

Switch Feature

IGMP snooping V1/V2
Bandwidth Control
Port Based VLAN
Tag VLAN
Q-in-Q VLAN
VLANs: Support to 16 VLAN Groups
Priority Queues: 4 Queues

Management feature

SNMP / CLI / Telnet interface
Storm Control
TFTP Firmware update
DHCP Clinet
DHCP Auto-Provision
Text Based Config
SFF-8472(digital diagnostic interface for SFP)
Power down trap

LED

LAN , Power , WAN,Status

Power Requirement

Power adaptor
AC input: 100VAC~240VAC
Frequency range: 50~60Hz
DC output: 12V, 1A
Power consumption: 4.1W

Environmental Condition

Operation: 0° ~ 50°C
Storage temperature: -20° ~ 60°C
Humidity: 5% ~ 90% non-condensing

Dimension & Weight

Size: 160 x 110 x 36 mm (WxDxH)
Shipping Weight: 1KG

EMC/Safety

FCC class A,
CE
* For further reports, please contact us for update

Order Information

MODEL	FIBER PORT					TP PORT	
	Speed	Type	Connector	Distance	Ports	Speed	Ports
HET-2106FC	100	MM	SC	2KM	1	10/100	5
HET-2106FT	100	MM	ST	2KM	1	10/100	5
HET-2106FC(SM-30/50/80/100)	100	SM	SC	30/50/80/100KM	1	10/100	5
HET-2106W2A(SM-20/40)	100	WDM	SC	20/40KM	1	10/100	5
HET-2106W2B(SM-20/40)	100	WDM	SC	20/40KM	1	10/100	5
HET-2106SFP	100	SFP	-	-	1	10/100	5
HET-2106TP	-	-	-	-	-	10/100	6



Cable Tray Overview



* This is an overview of CTS HET series cable tray ONLY, and does not represent product details.